## CAMBRIDGE INTERNATIONAL EXAMINATIONS GCE Ordinary Level

## MARK SCHEME for the October/November 2012 series

## **4024 MATHEMATICS (SYLLABUS D)**

**4024/12** Paper 1, maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.





Page 2	Mark Scheme	Syllabus	Paper
	GCE O LEVEL – October/November 2012		12

## **Abbreviations**

cao correct answer only cso correct solution only

dep dependent

ft follow through after error isw ignore subsequent working

oe or equivalent SC Special Case

www without wrong working

soi seen or implied

Qu.	Answers	Mark	Part Marks
1	(a) 10.6	1	
	(b) <del>3</del> 50 cao	1	
2	(a) $2\frac{11}{12}$	1	
	<b>(b)</b> 4 cao	1	
3	(a) 34	1	
	<b>(b)</b> 10	1	
4	(a) $3\frac{1}{2}$ oe	1	
	(b) oe	1	
5	$-1, -\frac{17}{20}, -\frac{4}{5}, 0, \frac{3}{4}$	2	C1 for 4 correct when one is covered or C1 for reversed answer
6	(a) 3 (h)	1	
	(b) $35 \text{ or ft} \frac{50 + 90}{\text{their (a)} + 1}$	1 √	
7	(a) $8k+1$	1	
	<b>(b)</b> $2x^2 + 5x - 12$	1	
8	(a) 255°	1	
	<b>(b)</b> (0)7 h 53 min	1	
9	<b>(a)</b> 6	1	
	<b>(b)</b> 11	1	
10	(a) $2^2 \times 3^2 \times 5$ oe	1	
	<b>(b)</b> 11 www	1	



Page 3	Mark Scheme	Syllabus	Paper
	GCE O LEVEL – October/November 2012		12

	T	•	
11	(a) 6	1	
	(b) $\frac{1}{3}$	1	
12	18	2	$B1 \text{ for "k"} = 2 \text{ or } B1 \text{ for } \frac{32}{4^2} = \frac{y}{3^2} \text{ oe}$
13	(a) 9.45	1	
	<b>(b)</b> 1.95 or their <b>(a)</b> – 7.5	1√	
14	(a) Both $p = 6$ and $q = 4$	1	
	<b>(b)</b> 33 or f.t. 29 + their $q$ (provided $q$ has a value)	1√	
	(c) 34	1	
15	(a) $4p(4+p)$	1	
	<b>(b)</b> $(x+2a)(y+3a)$	2	B1 for any partial factorisation
16	(a) 0	1	
	(b) A A B B C C B C A C A B 5 6 5 7 6 7	1	
	(c) $\frac{1}{3}$ their (number of 7s)  or f.t from table total no. of outcomes provided (number of 7s) > 0	1√^	
17	(a) 0.0406	1	
	<b>(b)</b> $6.8(00) \times 10^{-4}$	1	
	(c) 4	1	
18	(a) 3	1	
	(b) $13\frac{1}{2}$ oe	1	
	(c) 4 \(\frac{1}{2}\) oe	1	
19	(a)	2	C1 for 2 or 3 correct elements
	(b) or $\begin{pmatrix} \frac{3}{4} & 1\frac{1}{4} \\ \frac{1}{4} & \frac{1}{4} \end{pmatrix}$ oe	2	B1 for det M = 4 or for $\frac{1}{4} \times (2 \times 2 \text{ matrix})$ or B1 for used or seen



Page 4	Mark Scheme	Syllabus	Paper
	GCE O LEVEL – October/November 2012		12

20	(a) (i) 4	1	
	(ii) 2	1	
	<b>(b)</b> Both $a = 1$ and $b = 2$ .	1	
	<i>c</i> = 6	1	
21	(a)	2	C1 for 4 or 5 correct elements in a 2 × 3 derived matrix
	(b) (one way) stretch	1	
	Parallel to y-axis/x-axis invariant <b>and</b> (stretch/scale) factor $\frac{1}{2}$ .	1 dep.	
22	<b>(a)</b> (11, 3)	1	
	(b) parallelogram	1	
	(c) 27	2	M1 for their $(BC) \times \text{their } 9$
			or <b>M1</b> for $9 \times (\text{their } BC + 2) - 2 \times \frac{1}{2} \times 9 \times 2$
23	(a) 124	1	
	<b>(b)</b> 118	1	
	(c) 31	1	
	(d) 38	1	
24	(a) 18	2	360 M1 for their (180 – 160)
	(A) (B) 10		or <b>M1</b> for $(n-2) \times 180 = 160n$ oe
	(b) (i) 10 (ii) 20		
25	(a) $\frac{\mathbf{u}}{5}$ or any equiv.	1	
	<b>(b) (i)</b> correct method $u = 2$	M1 A1	e.g. $40 = \frac{1}{2} \times (u + 3u) \times 10$ , or $40 = 10u + \frac{1}{2} \times 10 \times 2u$
	(ii) continuous graph from (0, 0) to (10, 40), without any horizontal or vertical lines. Curve, concave upwards	1 1 ind.	



Page 5	Mark Scheme	Syllabus	Paper
	GCE O LEVEL – October/November 2012		12

26	<b>(a)</b> 2011		2	<b>B1</b> for $(n = )$ 223 seen
	<b>(b)</b> 36		1	
	(c) (i) $9x - 9$	y, or $9y - 9x$ , or any equiv.	1	
	(ii) "123 i	s not a multiple of 9" oe	1	
27	(a) 126° to 128	° inclusive	1	
	(b) acceptable	quadrilateral <i>ABCD</i>	1	
	(c) (i) accept	able circular arc, centre C	1	
	(ii) accept	able bisector of angle ABC	1	
	<b>(d)</b> $DP = 2 \text{ to } 2$	.5cm with correct P	1	dep. on an acceptable $D$ and both <b>(c)</b> marks

