

READ THESE INSTRUCTIONS FIRST

Write your centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

If working is needed for any question it must be shown below that question.

Electronic calculators should be used.


If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place. For π , use either your calculator value or 3.142.


At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question. The total of the marks for this paper is 70.

This document consists of **12** printed pages.

Buy	IGCSE, O / A Level Books, Past Papers & Revision Resources Online on Discounted Prices Visit: www.TeachifyMe.com / Shop Call / WhatsApp: (0331-9977798) 2
1	Work out \$1.20 as a percentage of \$16.
2	% [1] Factorise 5 <i>y</i> – 6 <i>py</i> .
3	Calculate $\sqrt[3]{8.1^2 - 1.3^{0.8}}$. [1]
4	An equilateral triangle has sides of length 15 cm, correct to the nearest centimetre. Calculate the upper bound of the perimeter of this triangle.
	cm [1]
5	The volume of a cuboid is 180 cm ³ . The base is a square of side length 6 cm. Calculate the height of this cuboid.
	cm [2]


Buy IGCSE, O / A Level Books, Past Papers & Revision Resources Online on Discounted Prices Visit: www.TeachifyMe.com / Shop Call / WhatsApp: (0331-9977798)





The diagram shows a right-angled triangle.

Calculate the value of *x*.



A, B and C are points on the circle, centre O.

Find the obtuse angle *AOC*.

Angle AOC	=	121	
I mgic noc		 141	


9 Write the recurring decimal 0.47 as a fraction. Show all your working.

10

8

 $\mathbf{f}(x) = 2x + 3$

Find f(1 - x) in its simplest form.



Ь	=	 [3]	

14 Without using a calculator, work out $\frac{5}{6} + \frac{2}{3}$.

You must show all your working and give your answer as a mixed number in its simplest form.

15 Expand and simplify.

$$(x+1)(x+2) + 2x(x-3)$$

16 *y* is inversely proportional to the square root of (x + 1). When x = 8, y = 2.

Find *y* when x = 99.

y =[3]

Buy	IGC	SE, O / A Level Books, Past Papers & Rev Visit: www.TeachifyMe.com / Shop	vision Resources Online on Discounted Prices Call / WhatsApp: (0331-9977798)
17	(a)	Factorise $p^2 - q^2$.	
	(b)	$p^2 - q^2 = 7$ and $p - q = 2$. Find the value of $p + q$.	[1]
18	(a)	Simplify $(81y^{16})^{\frac{3}{4}}$.	[2]
	(b)	$2^3 = 4^p$ Find the value of <i>p</i> .	[2]
19	The Fine	hodel of a car has a scale $1 : 20$. A volume of the actual car is 12 m^3 . If the volume of the model. It your answer in cubic centimetres.	<i>p</i> = [1]


......cm³ [3]

20 Write as a single fraction in its simplest form.

$$\frac{1}{x+2} - \frac{2}{3x-1}$$



21




The diagram shows a pyramid with a square base ABCD of side length 8 cm. The diagonals of the square, AC and BD, intersect at M. V is vertically above M and VM = 10 cm.

Calculate the angle between *VA* and the base.

Buy	IGC	SE, O / A Level Books Visit: www.Teachif							line on D 331-997	d Prices
					9					
22	(a)	These are the first four to	erms of a	sequenc	ce.					
			5	8		11	14			
		(i) Write down the nex	t term.							
					_					 [1]
		(ii) Find an expression,	, in terms	of <i>n</i> , for	r the <i>n</i>	th term.				
										 [2]
	(b)	These are the first five te	erms of a	nother se	equenc	e.				
			$\frac{1}{2}$	$\frac{3}{4}$	$\frac{7}{6}$	$\frac{13}{8}$		<u>21</u> 10		
		Find the next term.								

	[1		
--	----	--	--




(a) Find \mathbf{P}^2 .

(b) Find \mathbf{P}^{-1} .

[2]

[2]






The diagram shows information about the final 70 seconds of a car journey.

(a) Find the deceleration of the car between 60 and 70 seconds.

.....m/s² [1]

(b) Find the distance travelled by the car during the 70 seconds.

.....m [3]



OABC is a parallelogram and *O* is the origin. CK = 2KB and AL = LB. *M* is the midpoint of *KL*. $\overrightarrow{OA} = \mathbf{p}$ and $\overrightarrow{OC} = \mathbf{q}$.

Find, in terms of **p** and **q**, giving your answer in its simplest form

(a) \overrightarrow{KL} ,

25

(b) the position vector of M.

Question 26 is printed on the next page.

Buy IGCSE, O / A Level Books, Past Papers & Revision Resources Online on Discounted Prices Visit: www.TeachifyMe.com / Shop Call / WhatsApp: (0331-9977798)

12

- **26** Line *L* passes through the points (0, -3) and (6, 9).
 - (a) Find the equation of line L.

.....[3]

(b) Find the equation of the line that is perpendicular to line L and passes through the point (0, 2).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.