


Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		



MATHEMATICS 0580/33

Paper 3 (Core) May/June 2020

2 hours

You must answer on the question paper.

You will need: Geometrical instruments

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You should use a calculator where appropriate.
- You may use tracing paper.
- You must show all necessary working clearly.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.
- For π , use either your calculator value or 3.142.

INFORMATION

- The total mark for this paper is 104.
- The number of marks for each question or part question is shown in brackets [].


This document has 16 pages. Blank pages are indicated.

DC (LK/CB) 186455/2 © UCLES 2020

[Turn over

1	(a)	(i)	Write down a fraction equivalent to $\frac{1}{15}$.		
		(ii)	Find a fraction that is greater than $\frac{1}{15}$ but less than $\frac{2}{15}$.		[1]
	(b)	(i)	Write 15% as a decimal.		[1]
	(D)	(1)	write 1370 as a decimal.		[1]
		(ii)	Shade 15% of this grid.		
					[1]
	(c)	Wri	te down all the factors of 15.		
	(d)		d the value of $\sqrt{15}$. e your answer correct to 3 decimal places.		[2]
	(e)	(i)	Write down the reciprocal of 15.		[2]
		(ii)	Write down the value of 15 ⁰ .		[1]
		()			[1]
		(iii)	Write 0.015 in standard form.		[1]
				•••••	[+]

2 The diagram shows a line AB on a 1 cm^2 grid.



(a) Write down the coordinates of point A.

(.....) [1]

(b) Write down the vector \overrightarrow{AB} .

(c)
$$\overrightarrow{BC} = \begin{pmatrix} -2 \\ 5 \end{pmatrix}$$

Mark point *C* on the grid.

[1]

(d) (i) Work out $\overrightarrow{AB} + \overrightarrow{BC}$.

(ii) Complete this statement.

$$\overrightarrow{AB} + \overrightarrow{BC} = \dots$$
 [1]


(e) A, B and C are three vertices of a parallelogram, ABCD.

(i) Mark point D on the diagram and draw the parallelogram ABCD. [1]

(ii) Work out the area of the parallelogram. Give the units of your answer.

.....[2]

3 (a)



The diagram shows a rectangular patio with sides 6 m and 8 m.

	(i)) Work	out the	perimeter	of the	patio
--	-------------	--------	---------	-----------	--------	-------


m	ſ11
 111	

(ii) Henri covers the patio floor with square tiles. The tiles are 0.5 m by 0.5 m.

Work out the number of tiles he needs.



(b) The diagram shows the net of a solid on a $1 \, \text{cm}^2$ grid.



(i) Write down the mathematical name for the solid.

																										ı	Γ	1		1	
												 		•							ı	J	L	ı							

(ii) Work out the volume of the solid.


	cm^3	[2]
--	--------	-----

4	(\mathbf{c})	\ A cc	111010	hac	perimeter	122
1	C	ASC	luare	Has	permeter	$1 \Delta X$

Find an expression, in terms of x, for the area of the square. Give your answer in its simplest form.

.....[3]

(d)




NOT TO SCALE

The diagram shows a semicircle with diameter AC. B is a point on the circumference and AB = BC.

Work out the area of triangle ABC.

..... cm² [3]

4



A road has 349 houses on it numbered from 1 to 349.

The diagram shows some of these houses.

The houses on the West side of the road have odd numbers.

The houses on the East side have even numbers.

(a) Put a ring around the numbers in this list that are on the West side.

25	87	126	178	252	329	
						[1]

(b) On the East side, how many houses are there **between** the house numbered 168 and the house numbered 184?

.....[1]


(c) How many houses on the road have a house number that is a multiple of 39?

.....[2]

© UCLES 2020

(a)		starts at house number 1 and then delivers to each house in order.	
	(i)	Find an expression, in terms of n , for the house number of the n th house he delivers to.	
			[2]
	(ii)	Work out the house number of the 40th house he delivers to.	
			[1]
	(iii)	Work out how many houses are on the West side of the road.	
			[2]
(e)		cia delivers a leaflet to every house on the East side of the road. starts at house number 348 and then delivers to each house in order.	
	(i)	Find an expression, in terms of n , for the house number of the n th house she delivers to.	
			[2]
	(ii)	What is the largest value of <i>n</i> that can be used in your expression? Give a reason for your answer.	[2]
		The largest value of <i>n</i> is because	
			[2]

5 (a) The Venn diagram shows information about the number of students in a class who like apples (A) and bananas (B).




(i)	Work out the number of students in the class.		
			[1]
(ii)	Work out the number of students who like bananas.		
			[1]
(iii)	Work out $n(A \cup B)$.		
			[1]
(iv)	How many more students like apples than like bananas?		
			[1]
(v)	One of the students is chosen at random.		
	Find the probability that this student does not like apples	and does not like bananas.	
			[1]

(b) The mass, *m* grams, of a banana is 115 g, correct to the nearest 5 g.

(c) Six of the students bring an apple to school one day. The list shows the mass of each apple, correct to the nearest gram. 82 94 78 103 88 82 (i) Find (a) the mode, (b) the range, (c) the median. g [1] (b) Another student, Toni, also brings an apple to school. The mean mass of the 7 apples is 89 g. Work out the mass of Toni's apple.		Con	nplet	e th	ie stat	temer	nt abo	out the	valu	e of m	•				
The list shows the mass of each apple, correct to the nearest gram. 82 94 78 103 88 82 (i) Find (a) the mode, (b) the range, (c) the median. g [1] (c) the median. g [2] (ii) Another student, Toni, also brings an apple to school. The mean mass of the 7 apples is 89 g. Work out the mass of Toni's apple.														≤ <i>m</i> <	[2]
(i) Find (a) the mode, (b) the range, (c) the median. g [1] (d) the median. g [2] (ii) Another student, Toni, also brings an apple to school. The mean mass of the 7 apples is 89 g. Work out the mass of Toni's apple.	(c)												rest g	gram.	
(a) the mode, g [1] (b) the range, g [1] (c) the median. g [2] (ii) Another student, Toni, also brings an apple to school. The mean mass of the 7 apples is 89 g. Work out the mass of Toni's apple.						82	2	94	í	78	103		88	82	
(c) the median. g [1] (b) the range, g [1] (c) the median. g [2] (ii) Another student, Toni, also brings an apple to school. The mean mass of the 7 apples is 89 g. Work out the mass of Toni's apple.		(i)	Fin	d											
g [1] (c) the median. g [2] (ii) Another student, Toni, also brings an apple to school. The mean mass of the 7 apples is 89 g. Work out the mass of Toni's apple.			(a)	th	e mo	de,								g	[1]
(ii) Another student, Toni, also brings an apple to school. The mean mass of the 7 apples is 89 g. Work out the mass of Toni's apple.			(b)	th	e ranş	ge,								g	[1]
(ii) Another student, Toni, also brings an apple to school. The mean mass of the 7 apples is 89 g.Work out the mass of Toni's apple.			(c)	th	e med	dian.									
(ii) Another student, Toni, also brings an apple to school. The mean mass of the 7 apples is 89 g.Work out the mass of Toni's apple.															
The mean mass of the 7 apples is 89 g. Work out the mass of Toni's apple.														g	[2]
		(ii)									ple to s	schoo	ol.		
			Wo	rk o	out the	e mas	s of T	Гoni's	apple	e.					
σ [3]														g	[3]

6 (a) Ten students eat cereal with milk for breakfast. The amounts are shown in the table.

Cereal (g)	40	20	58	70	60	35	28	40	55	46
Milk (ml)	190	85	240	305	320	180	150	230	340	220



(i) Complete the scatter diagram.

The first six points have been plotted for you. [2]

(ii) For these students, describe the relationship between the amount of cereal and the amount of milk.

.....[1]

(iii) On the grid, draw a line of best fit. [1]

(iv) Another student has 280 ml of milk with her cereal.


Use your line of best fit to estimate an amount of cereal this student has.

..... g [1]

	100 For	ml of milk contain breakfast Sasha h	ns 360 kilocalories. ns 45 kilocalories. as 35 g of cereal with of kilocalories Sasha		[1]
(c)		Box A 500 g \$1.73	boxes A, B and C. Box B 750 g \$2.60	Box C 1.25 kg \$4.35	NOT TO SCALE

Box[3]

7 (a) The diagram shows a regular polygon.




(i) Write down the mathematical name for this shape.

	Г13

(ii) Write down the order of rotational symmetry of this shape.



(b) The diagram shows part of a different regular polygon.



e is an exterior angle. *i* is an interior angle.

The ratio e: i = 2:13.

(i) Work out angle e.

.....[3]

(ii) Work out the number of sides of this regular polygon.


.....[1]

(c) Using a straight edge and compasses only, construct the equilateral triangle ABC. Side AB has been drawn for you.



[2]

(d) In this part, all angles are in degrees.



NOT TO **SCALE**

(i) Use the information in the triangle to write down an equation in terms of x.

Solve this equation to find the value of x.

x = [3]

Work out the size of the smallest angle in the triangle.


..... [2]

8 (a) Complete the table of values for $y = -x^2 + x + 5$.

х	-3	-2	-1	0	1	2	3	4
у		-1	3			3		

[3]

(b) On the grid, draw the graph of $y = -x^2 + x + 5$ for $-3 \le x \le 4$.



[4]

(c)	Wri	te down the coordinates of the highest point of the graph.	
		()	[1]
(d)	Wri	te down the equation of the line of symmetry of the graph.	
			[1]
(e)	(i)	On the grid, draw the line $y = x$ for $-3 \le x \le 4$.	[1]
	(ii)	Write down the values of x where the line $y = x$ crosses the curve $y = -x^2 + x + 5$.	
		$x = \dots $ and $x = \dots$	[2]


Question 9 is printed on the next page.

9 (a) A speedboat travels at 84 kilometres per hour.

Change this speed into metres per minute.

..... m/min [2]

(b)



The speedboat starts at X and travels to Y, then to Z and then back to X. Z is due south of X and Y is due west of Z. XY = 39 km and XZ = 21 km.

(i) Calculate YZ.

YZ = km [3]

(ii) Calculate angle YXZ.

Angle $YXZ = \dots$ [2]

(iii) Find the bearing of Y from X.

.....[1]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.